

Installation Instructions





1. Attach the steel legs to the base of the instrument with the M8 Nyloc Nuts and 2 part security caps. (1.1) (See Assembly Guide)

2. Attach Surface Fixing posts to legs (1.2) (See Ground Fix Post Installation Sheet)

3. Locate Plate in desired location and mark holes to fix to desired surface.

4. Fix to Surface using recommended ground anchors not supplied

5. Make sure all fixings are covered and secure using cover caps provided



Weight of heaviest part 10kg (Music Book)

Surface Fixed

Music Book
Page 1 of 3



Instrument Components:

x4
M8 Nyloc Nut

x4
2 Part Cover Cap M8

Metric Conversion:
250mm/ 10"
300mm/ 12"
450mm/ 18"
700mm/ 28"
850mm/ 33"
1.5m/ 59"



Ground Fix Components:

-  x2
-  x4
-  x1
-  x1

Spares available from percussionplay.com or from your local distributor

19.5 Kg

Surface Fixed


Music Book
Page 2 of 3




Instrument Components:

 x4
M8 Nyloc Nut

 x4
2 Part Cover Cap M8



PPCONG FRONT



PPCONG SIDE

COMPONENTS LIST:

-  2 Part Cover Cap M8 X4
-  M8 Nyloc nut X4
-  M10x70 Pin torx X1
-  M10 Barrel Nut Pin torx X1



Surface Fix
Components:

 x1
 x1
M10 Barrel Nut M10x70 Security Screw

Spares available from
percussionplay.com or from your
local distributor

19.5 Kg

Surface Fixed

Music Book
Page 3 of 3



Components:



x1



x1

M10x70 Security Screw



x4

2 Part Cover Cap


Thread Lock Solution
Required (Not Supplied)

Metric Conversion:


50mm/ 2"
250mm/ 10"
300mm/ 12"
350mm/ 14"
400mm/ 16"
450mm/ 18"




MADE IN
BRITAIN
BSEN 1176



1
Locate the Surface fix Plate into the leg of the instrument.



2
Fix instrument to Surface fix plate using M10 bolt and Barrel Nut and use **thread locking solution** to prevent fixings working loose.



3
Fix Surface Plate to the ground surface **Ground Anchors Not provided** cover fixings with caps provided